
Paolo Vineis

*“Systems perspectives of the
exposome”*

IARC 50th anniversary, Lyon June 2016

Epidemiology has reached a limit? Examples of open questions that imply large *attributable risks* but also large *measurement error*:

Air pollution and disease at low levels of exposure

Bladder, colon cancer and exposure to disinfection by-products

Socio-economic differentials and biological determinants of ageing

Biomarker research supports causal reasoning by linking exposures with disease *via* mechanisms and emphasizing causality as a process (“meet-in-the-middle”).

In **Salmon’s view** (Salmon 1984, 1997; Vineis et al, submitted), processes are conceptualized as *world lines of objects*. An airplane flying in the sky is a world line, but so is its shadow on the ground.

How do we discriminate between world lines, or processes, that are causal and those that are not? In the Salmon-Dowe approach, causal processes are capable of transmitting **conserved quantities**, such as mass-energy, linear momentum, or charge. **Shadows do not transmit conserved quantities (as demonstrated when two airplanes collide).**



Transmission of conserved quantities is also transmission of information via molecules (=the internal exposome).

The exposome concept refers to the totality of environmental exposures from conception onwards. The ***internal exposome*** is based on measurements in biological material of complete sets of biomarkers of exposure, using ***repeated biological samples*** especially ***during critical life stages***.

This project aims to develop a novel approach to the assessment of exposure to high priority environmental pollutants by characterizing the **external and the internal components of the exposome (Wild 2012)**, focusing on air and water contaminants during **critical periods of life**. A life-course approach is used.





Figure 1 Three different domains of the exposome are presented diagrammatically with non-exhaustive examples for each of these domains



Aims: develop a new approach to assess environmental exposures

Predict disease risk


Characterize the exposome for common exposures during critical periods

Using omics: link exposure to biochemical and molecular changes – help to improve understanding of molecular pathways (**adductomics, proteomics, transcriptomics, metabolomics, epigenomics for about 3,000 samples overall**)


Type of effect	Timescale	Design	Exposures
Acute effect	<2 hours	Intervention study	Pre-post experiment meas.
Short-term effect	24 Hours	Personalised Exposure Measurement Campaigns (PEM)	Real-time monitoring (e.g., backpack)
Long-term effect	Years	Cohort Studies	Modelled exposure (LUR...)

External exposome: from personal monitoring to satellite integration

PEM MiniDisc, Subject 315, High Traffic Site, Season B




Personal UFP monitoring (outdoor and home) (courtesy of N Probst-Hensch)






"Hybrid LUR" models including satellite data (AOD) and data from chemical transport models developed using ESCAPE (A) and AIRBASE (B) sites (courtesy J Gulliver)

Total 354 samples (6 samples per person). Air pollution measurements (at both sites): PM10, PM25, NO2, UFP, Black carbon. Outcomes: COPD, IHD, Healthy Metabolomics and adductomics measured 3x (before, 2h and 24h after) at 2 time points




Glimpses on the internal exposome: adductomics KCL-Berkeley Comparison



Courtesy G. Preston and Steve Rappaport - Untargeted methodology. Data from two different (complementary) MS-based platforms. Semi-synthetic control adduct detected by both groups.

Glimpses on the internal Exposome


PISCINA study - Metabolomic analysis (PLS-DA and top hits) - Exposure to disinfection by-products and their short-term effects in swimmers - Untargeted metabolomics of blood samples, using UHPLC-QTOF mass spectrometer. N= 6,471 metabolomic features identified (courtesy K van Veldhoven)




Exposure	Smallest p -value	Significant Bonferroni
CHCl ₃	5.50E-18	245
BDCM	1.80E-17	267
DBCM	5.17E-15	217
CHBr ₃	2.27E-12	147
TTHM	4.63E-18	255

Goals of H2020 Lifepath

- To provide updated, relevant and innovative **evidence for healthy ageing policies** (particularly “health in all policies”)
- To improve the understanding of the mechanisms through which healthy ageing pathways diverge by SES, by investigating **life-course biological pathways using omic technologies**.
- To examine the consequences of the current **economic recession** on health and the biology of ageing (and the consequent increase in social inequalities).




The life-trajectory model of ageing implies a «build-up» phase and a «decline» phase




Methylation as a marker of socio-economic differentials

Methylation as a marker of socio-economic differentials in EPIC-Italy (Stringhini et al, IJE 2015)



Effect sizes of the association between RII (as index of SES) and Age Acceleration (AA). EPIC Italy (A) and MCCS cohort (B).



Acknowledgements



Exposomics Funder - European Union FP7

Lifepath Funder – European Union H2020

Collaborators Exposomics (for current analyses)

ICL – Paolo Vineis, Marc Chadeau-Hyam, John Gulliver, Karin van Veldhoven, Florence Guida, Michelle Plusquin, Michaela Dijmarescu, Terrence Simmons, Paul Cullinan, Fan Chun

KCL – George Preston, David Phillips

CREAL – Manolis Kogevinas, Cristina Villanueva, Laia Font-Ribera, Mark Nieuwenhuijsen

BASEL Swiss TPH – Nicole Probst-Hensch

HuGeF – Alessio Naccarati

IARC – Augustin Scalbert, Pekka Keski Rahkonen, Dinesh Barupal

Utrecht University – Roel Vermeulen, Jelle Vlaanderen, Lutzen Portengen

Genedata – Hans Gmuender

Collaborators Lifepath (WP leaders)

Rotterdam University - Johan Mackenbach

Lausanne University - Silvia Stringhini

HuGeF - Silvia Polidoro, Giovanni Fiorito

ICL - Marc Chadeau-Hyam

KCL - Mauricio Avendano

Toulouse University - Michelle Kelly Irving

UCL - Michael Marmot, Mika Kivimaki

Zadig - Luca Carra

Thanks to Soterios Kyrtopoulos, Steve Rappaport, Federica Russo, Martyn Smith, Duncan Thomas and Chris Wild